



INSIGHT

CORDLESS LIGHTING



At INSIGHT, light is more than just a source of illumination; it's an integral part of creating unforgettable experiences. That's why we design lighting solutions for those who craft exceptional environments. We understand that light is essential for setting the right ambiance, enhancing visual appeal, and evoking the perfect mood. Practically, it must also blend seamlessly with its surroundings, be user-friendly, and offer dependable performance. This understanding drives us to create cordless lamps that are thoughtfully designed to meet the distinct needs of the hospitality industry, from hotels to restaurants.

Our passion goes beyond designing lamps—it's about lighting the path to extraordinary experiences. With over two decades in the industry, INSIGHT has consistently evolved, embracing innovation to deliver products that combine beauty, functionality, and sustainability. We believe in the transformative power of design, and our team works tirelessly to exceed expectations, leaving a lasting impression on every space our lighting touches.

Nigel Fawkes
Managing Director



With over 20 years of experience in the hospitality sector, INSIGHT has become a leader in cordless lighting design. From the very beginning, our commitment to enhancing restaurant dining experiences has driven us to innovate and set new standards in the industry.


Throughout our journey, we've crafted lighting solutions for some of the world's most iconic restaurants, bars, cafés, and hotels. From The Savoy in London to onboard the luxury Silversea Cruise liners, our lighting illuminates hundreds of prestigious venues consistently ranked among the best in the world.

We have always recognized the critical role that light quality plays in hospitality. Our designs are carefully tailored to highlight the beauty of both the people and their surroundings—illuminating exquisite meals and décor with dramatic, stunning effect.

Every element of our lighting systems is thoughtfully engineered with the specific needs of the hospitality industry in mind.



Regency
80612-MP02-039



BRASS
IVORY SILK PLEATED SHADE[B]
[* 12CM / M10 SCREW]

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
120mm (D) x 258mm (H) 12.0cm x 25.8cm	1.500kg	Li-FePO4 4000mAh 2,000 Cycles	< 9	3W LED Warm White 	2700K	24	36	42	< 210	> 80	50,000

3W 16 RGB Colours


Colours only available when
using the remote control.





Luxe
80613-MP02-040



BRASS
IVORY SILK PLEATED SHADE [A]
[* 11CM / M10 SCREW]



BRASS
RED COTTON SHADE [C]
[* 14CM / M10 SCREW]



BRASS
IVORY COTTON SHADE [C]
[* 14CM / M10 SCREW]

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
110mm (D) x 230mm (H) 11.0cm x 23.0cm	1.200kg	Li-FePO4 4000mAh 2,000 Cycles	< 9	3W LED Warm White 	2700K	24	36	42	< 210	> 80	50,000

3W 16 RGB Colours


Colours only available when
using the remote control.





Cleo
80614-MP02-034



BRASS
IVORY SILK PLEATED SHADE [A]
[* 11CM / M10 SCREW]

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
110mm (D) x 185mm (H) 11.0cm x 18.5cm	0.980kg	Li-FePO4 4000mAh 2,000 Cycles	< 9	3W LED Warm White 	2700K	24	36	42	< 210	> 80	50,000

3W 16 RGB Colours


Colours only available when
using the remote control.





Sofia Fabric

80609-MP02-033



BRASS
IVORY SILK PLEATED SHADE [A]
[*] 11CM / M10 SCREW



BRASS
RED COTTON SHADE [C]
[*] 14CM / M10 SCREW



BRASS
IVORY COTTON SHADE [C]
[*] 14CM / M10 SCREW

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
[*] (D) x 280mm (H) [*] (D) x 28.0cm	0.655kg	Li-FePO4 4000mAh 2,000 Cycles	< 9	3W LED Warm White 	2700K	24	36	42	< 210	> 80	50,000

3W 16 RGB Colours


Colours only available when
using the remote control.





Charm Dome

80601-MP02-029



BRASS



NICKEL



COPPER



BLACK

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
89mm (D) x 226mm (H) 8.9cm (D) x 22.6cm (H)	0.783kg	Li-FePO4 4000mAh 2,000 Cycles	< 9	2W LED Warm White 	2700K	42	63	84	< 154	> 80	50,000

2W 16 RGB Colours


Colours only available when
using the remote control.





Charm Empire

80602-MP02-030



BRASS



NICKEL



COPPER



BLACK

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
94mm (D) x 223mm (H) 9.4cm (D) x 22.3cm (H)	0.799kg	Li-FePO4 4000mAh 2,000 Cycles	< 9	2W LED Warm White 	2700K	42	63	84	< 154	> 80	50,000

2W 16 RGB Colours


Colours only available when
using the remote control.





* Photo of Sofia Empire [Mini], Brass

Sofia Empire

80605-MP02-032




[MINI]
BRASS



BRASS



NICKEL



COPPER



BLACK

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
109mm (D) x 330mm (H) 10.9cm (D) x 33.0cm (H)	0.985kg	Li-FePO4 4000mAh 2,000 Cycles	< 9	2W LED Warm White 	2700K	42	63	84	< 154	> 80	50,000
[MINI] 109mm (D) x 215mm (H) 10.9cm x 21.5cm	[MINI] 0.905kg			2W 16 RGB Colours  <i>Colours only available when using the remote control.</i>							




80607-MP02-035



BRASS



NICKEL



COPPER




BLACK



BRASS



NICKEL



COPPER



BLACK



DIMENSION	WEIGHT	BATTERY	CHARGE TIME	LIGHT SOURCE OPTION	COLOUR TEMPERATURE	OPERATING TIME (HOURS)			BRIGHTNESS	CRI	BULB LIFE
	(KG)		(HOURS)			(KELVIN)	HIGH	MED			
118mm (D) x 265mm (H) 11.8cm (D) x 26.5cm (H)	0.635kg	Li-FePO4 4000mAh 2,000 Cycles	< 9	2W LED Warm White 	2700K	42	63	84	< 154	> 80	50,000

2W 16 RGB Colours

Colours only available when using the remote control.



DIMENSION	WEIGHT	BATTERY	CHARGE TIME	LIGHT SOURCE OPTION	COLOUR TEMPERATURE	OPERATING TIME (HOURS)			BRIGHTNESS	CRI	BULB LIFE
	(KG)		(HOURS)		(KELVIN)	HIGH	MED	LOW	(LUMENS)		(HOURS)
104mm (D) x 300mm (H) 10.4cm (D) x 30.0cm (H)	0.644kg	Li-FePO4 4000mAh 2,000 Cycles	< 9	2W LED Warm White 	2700K	42	63	84	< 154	> 80	50,000

2W 16 RGB Colours

Colours only available when using the remote control.





Round
80502-MP02-037



BRASS



NICKEL



WOOD

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
80mm (D) x 125mm (H) 8.0cm (D) x 12.5cm (H)	0.950 - 1.138kg	Li-FePO4 4000mAh 2,000 Cycles	< 9	2W LED Warm White 	2700K	42	63	84	< 154	> 80	50,000

2W 16 RGB Colours


Colours only available when
using the remote control.



Curve

80101-MP02-001



GLASS

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
80mm (W) x 135mm (H) 8.0cm (W) x 13.5cm (H)	1.137kg	Li-PO 3.7V 1350mAh 500 Cycles	< 6	1W LED Warm White 1W 16 RGB Colours 	2700K	12	18	24	< 90	> 80	50,000
Colours only available when using the remote control.											



Swirl

80104-MP02-003



GLASS

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
80mm (W) x 137mm (H) 8.0cm (W) x 13.7cm (H)	0.911kg	Li-PO 3.7V 1350mAh 500 Cycles	< 6	1W LED Warm White 1W 16 RGB Colours 	2700K	12	18	24	< 90	> 80	50,000
Colours only available when using the remote control.											



Ridge
80125-MP02-004



GLASS

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
80mm (W) x 125mm (H) 8.0cm (W) x 12.5cm (H)	0.800kg	Li-PO 3.7V 1350mAh 500 Cycles	< 6	1W LED Warm White 1W 16 RGB Colours 	2700K	12	18	24	< 90	> 80	50,000
Colours only available when using the remote control.											



Pillar
80107-MP02-008



GLASS

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
80mm (D) x 150mm (H) 8.0cm (D) x 15.0cm (H)	0.698kg	Li-PO 3.7V 1350mAh 500 Cycles	< 6	1W LED Warm White 1W 16 RGB Colours 	2700K	12	18	24	< 90	> 80	50,000
Colours only available when using the remote control.											



Jupiter

80105-MP02-006 / 80106-MP02-007



JUPITER 1
80105-MP02-006
GLASS



JUPITER 2
80106-MP02-007
GLASS

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
90mm (D) x 100mm (H)	0.667kg	Li-PO 3.7V 1350mAh 500 Cycles	< 6	1W LED Warm White	2700K	12	18	24	< 90	> 80	50,000
9.0cm (D) x 10.0cm (H)				1W 16 RGB Colours							

Colours only available when
using the remote control.



Shell

80135-MP02-014



**SYNTHETIC
PEARLISED SHELL**

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
80mm (D) x 160mm (H) 8.0cm (D) x 16.0cm (H)	0.395kg	Li-PO 3.7V 1350mAh 500 Cycles	< 6	1W LED Warm White 	2700K	12	18	24	< 90	> 80	50,000
				1W 16 RGB Colours 							

Colours only available when
using the remote control.





Stone

80112-MP02-013



GYPSUM ALBASTER

DIMENSION	WEIGHT (KG)	BATTERY	CHARGE TIME (HOURS)	LIGHT SOURCE OPTION	COLOUR TEMPERATURE (KELVIN)	OPERATING TIME (HOURS)			BRIGHTNESS (LUMENS)	CRI	BULB LIFE (HOURS)
						HIGH	MED	LOW			
90mm (W) x 160mm (H) 9.0cm (W) x 16.0cm (H)	1.184kg	Li-PO 3.7V 1350mAh 500 Cycles	< 6	1W LED Warm White 	2700K	12	18	24	< 90	> 80	50,000

1W 16 RGB Colours


Colours only available when
using the remote control.





Charging Trolley

90224-Qi



BLACK

DIMENSION	WEIGHT (KG)	CAPACITY	CHARGE TIME (HOURS)	POWER INPUT	POWER OUTPUT	FREQUENCY	COLOUR	CHARGING PADS
450mm (W) x 650mm (L) x 900mm (H)	12kg	24 Lamps	< 9	100V-240V	12V 15A (400W)	50-60HZ	BLACK	INCLUDED




Charging Pads



90203-Qi



90202-Qi



90206-Qi



ITEM	DIMENSION	WEIGHT (KG)	CAPACITY	CHARGE TIME (HOURS)	POWER INPUT	POWER OUTPUT	FREQUENCY	COLOUR	POWER ADAPTOR INCLUDED
SINGLE CHARGING PAD	145mm(W) x 145mm(L) x 17mm(H)	0.100kg	1 Lamp	< 9	100V-240V	12V 2A (10W)	50-60HZ	BLACK	ONLY USB CABLE
DUAL CHARGING PAD	290mm(W) x 145mm(L) x 17mm(H)	0.200kg	2 Lamps	< 9	100V-240V	12V 4A (20W)	50-60HZ	BLACK	ONLY USB CABLE
HEX CHARGING PAD	290mm(W) x 435mm(L) x 17mm(H)	0.600kg	6 Lamps	< 9	100V-240V	12V 6A (30W)	50-60HZ	BLACK	REGION SPECIFIC POWER PLUG



INSIGHT CORDLESS LIGHTING LTD

COMPANY REGISTRATION NO. 9938893

VAT NUMBER: 167994345

VISIT US ONLINE

WWW.INSIGHTCORDLESSLIGHTING.COM

ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE PRIOR WRITTEN PERMISSION OF INSIGHT CORDLESS LIGHTING. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.